



Southeast Veterinary
dermatology & ear clinic

CLIENT REFERRAL FORM

Referring Clinic _____ Referring Vet _____

Clinic Address _____

Clinic Phone _____ Clinic Fax _____

Client Name _____ Client Phone _____

Patient Name _____ Patient breed _____ Patient Age _____

Please specify what diets your clinic carries

Please specify what unflavored heart worm and flea preventions your clinic carries

**PLEASE FORWARD MEDICAL RECORDS, RECENT BLOODWORK, ALLERGY TESTING RESULTS,
OR SPECIFIC CONCERNS YOU HAVE REGARDING THIS CASE.**

Chief complaint (check all that apply)

Pruritis Recurrent Otitis Recurrent Pyoderma Recurrent Yeast Dermatitis

Other _____

Has this pet been seen by another dermatologist or had allergy testing done elsewhere? Please specify, if applicable.

Are you referring this patient for allergy testing? _____

When is the last time this patient received corticosteroids or antihistamines? What kind? At what dose were these given?

**IF YOU ARE NOT REFERRING THE PATIENT FOR ALLERGY TESTING,
WITHDRAWAL OF MEDICATIONS MAY NOT BE NECESSARY.**

It may be more prudent to continue the course of medications to keep the pet comfortable and see the pet for an initial consultation before skin testing. Skin testing may not be necessary for every case and depends on the Dermatologist's recommendations.



Southeast Veterinary
dermatology & ear clinic

MEDICATION WITHDRAWAL TIMES FOR INTRADERMAL TESTING

STEROIDS

Oral Corticosteroids - 4 week withdrawal

ex: Prednisone, Prednisolone, Triamcinolone, Temaril-P

Short-Acting Injectable Corticosteroids - 4-6 week withdrawal

ex: Dexamethasone, Vetalog

Long-Acting Injectable Corticosteroids - 8-12 week withdrawal

ex: Depo-Medrol

Topical Corticosteroids - (Including Ear Medications) - 4 week withdrawal

ex: Otomax, Anamax, Resicort Conditioner, Resiketochlor Conditioner, Hydrocortisone Creams

ANTIHISTAMINES

Oral Antihistamines - 2 week withdrawal

ex: Benadryl, Zyrtec, Hydroxyzine, Chlorpheniramine, Amitriptyline (Elavil)

MISCELLANEOUS

Ketoconazole - 48 hour withdrawal

Acepromazine, Valium (Diazepam) - 48 hour withdrawal

Oral Progestin (Ovaban, etc.) - 4 week withdrawal

Intact female dogs must be out of heat for at least 4 weeks before allergy testing can be performed.

Your pet should be fasted, unless your pet is diabetic.

Your pet may remain on antibiotics, heartworm prevention and flea prevention, as these will not negatively affect intradermal testing.

Please contact our office if you have questions about a medication your pet is currently taking.